





Stright Cut Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT001-01	73.5	76	330	2 7/8"	3"	13"
BLT001-02	77.5	80	330	3"	3 1/8"	13"
BLT001-03	87	89	330	3 2/5"	3 1/2"	13"
BLT001-04	99	101	330	3 7/8"	4"	13"
BLT001-05	111	114	330	4 2/5"	4 1/2"	13"





Angle Cut Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT002-01	73.5	76	330	2 7/8"	3"	13"
BLT002-02	77.5	80	330	3"	3 1/8"	13"
BLT002-03	87	89	330	3 2/5"	3 1/2"	13"
BLT002-04	99	101	330	3 7/8"	4"	13"
BLT002-05	111	114	330	4 2/5"	4 1/2"	13"



Reduced Inlet/Straight Cut Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT003-01	51	57	165	2"	2 1/4"	6 1/2"
BLT003-02	51	63	165	2"	2 1/2"	6 1/2"
BLT003-03	58	63	165	2 1/4"	2 1/2"	6 1/2"
BLT003-04	64	76	165	2 5/8"	3"	6 1/2"
BLT003-05	76	89	305	3"	3 1/2"	12"
BLT003-06	80	89	330	3 1/8"	3 1/2"	13"
BLT003-07	90	101	330	3 1/2"	4"	13"




Reduced Inlet/Angle Cut Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT004-01	51	57	165	2"	2 1/4"	6 1/2"
BLT004-02	51	63	165	2"	2 1/2"	6 1/2"
BLT004-03	58	63	165	2 1/4"	2 1/2"	6 1/2"
BLT004-04	64	76	165	2 5/8"	3"	6 1/2"
BLT004-05	76	89	305	3"	3 1/2"	12"
BLT004-06	80	89	330	3 1/8"	3 1/2"	13"
BLT004-07	90	101	330	3 1/2"	4"	13"



Part#	Dimension (mm)			Dimension (inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT1005-01	51	47	200	2"	1 7/8"	7 7/8"
BLT1005-02	78	78	245	3 1/8"	3"	9 1/2"
BLT1005-03	58	78	257	2 1/4"	3"	10"
BLT1005-04	58	78	257	2 1/4"	3"	10"
BLT1005-05	68	89	305	2 3/4"	3 1/2"	12"
BLT1005-06	68	89	305	2 3/4"	3 1/2"	12"
BLT1005-07	68	89	305	2 3/4"	3 1/2"	12"
BLT1005-08	68	89	305	2 3/4"	3 1/2"	12"
BLT1005-09	68	101	378	2 3/4"	4"	15"
BLT1005-10	68	101	378	2 3/4"	4"	15"
BLT1005-11	68	101	415	2 3/4"	4"	16"
BLT1005-12	68	101	415	2 3/4"	4"	16"



Part#	Dimensions(mm)			Dimensions(inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT100-01	Ø1	Ø7	200	Ø"	2 1/4"	7 7/8"
BLT100-02	Ø6	Ø8	78	2 1/4"	3"	3"
BLT100-03	Ø6	Ø9	78	2 1/4"	3"	3"
BLT100-04	Ø6	Ø10	78	2 1/4"	3 1/8"	3"
BLT100-05	Ø6	Ø9	305	2 1/4"	3 1/8"	12"
BLT100-06	Ø6	Ø9	305	2 1/4"	3 1/8"	12"
BLT100-07	Ø6	Ø9	660	2 1/4"	3 1/8"	25 7/8"
BLT100-08	Ø6	Ø11	178	2 1/4"	4"	7"
BLT100-09	Ø6	Ø11	215	2 1/4"	4"	8 1/2"
BLT100-10	Ø6	Ø11	465	2 1/4"	4"	18"
BLT100-11	Ø6	Ø11	560	2 1/4"	4"	22"



Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	62	70X30	172	2"	2 3/4"x3 1/8"	6 3/4"
BLT008-02	68	70X30	172	2 1/4"	2 3/4"x3 1/8"	6 3/4"
BLT009-03	64	70X30	172	2 1/4"	2 3/4"x3 1/8"	6 3/4"



Part #	Dimension(mm)			Dimension(inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT009-01	46	48	200	1.419"	1.511"	7.718"
BLT009-02	49	51	200	1.611"	2"	7.718"
BLT009-03	58	60	200	2.144"	2.205"	7.718"
BLT009-04	61	63	200	2.205"	2.165"	7.718"
BLT009-05	74	76	330	2.611"	3"	13"
BLT009-06	78	80	330	3"	3.118"	13"
BLT009-07	67	69	330	3.228"	3.152"	13"
BLT009-08	69	71	330	3.228"	3.228"	13"




Part #	Dimension(mm)			Dimension(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT10-5-01	46	48	200	1.46"	1.9119"	7.78"
BLT10-5-02	49	51	200	1.9119"	2"	7.78"
BLT10-5-03	50	50	200	2.14"	2.29"	7.78"
BLT10-5-04	51	53	200	2.00"	2.12"	7.78"
BLT10-5-05	54	78	200	2.14"	3.12"	7.78"
BLT10-5-06	78	80	300	3"	3.18"	13"
BLT10-5-07	80	80	300	3.29"	3.12"	13"
BLT10-5-08	86	86	300	3.38"	3.38"	13"




Part #	Dimension(mm)			Dimension(inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT101-141	54	54	244	2 1/8"	2 1/8"	9 5/8"
BLT101-150	59	59	184	2 3/8"	2 3/8"	7 1/4"
BLT101-160	64	64	204	2 5/8"	2 5/8"	8 1/4"
BLT101-164	67	67	209	2 5/8"	2 5/8"	8 1/4"
BLT101-170	70	70	229	2 7/8"	2 7/8"	9"
BLT101-180	78	78	247	3 1/8"	3"	9 5/8"
BLT101-187	78	78	260	3 1/8"	3"	10"
BLT101-190	80	80	265	3 1/8"	3 1/8"	10 1/2"
BLT101-200	88	88	280	3 5/8"	3 1/2"	11"
BLT101-210	88	88	290	3 5/8"	3 1/2"	11 1/2"
BLT101-215	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-218	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-219	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-220	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-225	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-230	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-235	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-240	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-245	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-250	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-255	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-260	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-265	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-270	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-275	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-280	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-285	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-290	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-295	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-300	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-305	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-310	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-315	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-320	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-325	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-330	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-335	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-340	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-345	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-350	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-355	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-360	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-365	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-370	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-375	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-380	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-385	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-390	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-395	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-400	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-405	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-410	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-415	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-420	90	90	275	3 5/8"	3 1/2"	10 7/8"
BLT101-425	90	90	275	3 5/8"	3 1/2"	10 7/8"
BL						



Part#	Dimensions(mm)			Dimensions(inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT-12-041	Ø1	Ø7	200	2"	2 1/4"	7 3/8"
BLT-12-042	Ø1	Ø8	205	2"	2 1/2"	8"
BLT-12-043	Ø1	Ø9	210	2 1/4"	2 3/4"	8 1/8"
BLT-12-044	Ø1	Ø10	215	2 1/2"	3"	8 1/2"
BLT-12-045	Ø1	Ø11	220	2 3/4"	3 1/4"	8 7/8"
BLT-12-046	Ø1	Ø12	225	3"	3 1/2"	9"
BLT-12-047	Ø1	Ø13	230	3 1/4"	3 3/4"	9 1/8"
BLT-12-048	Ø1	Ø14	235	3 1/2"	4"	9 1/2"
BLT-12-049	Ø1	Ø15	240	3 3/4"	4 1/4"	9 5/8"
BLT-12-050	Ø1	Ø16	245	4"	4 1/2"	10"
BLT-12-051	Ø1	Ø17	250	4 1/4"	4 3/4"	10 1/8"
BLT-12-052	Ø1	Ø18	255	4 1/2"	5"	10 1/2"
BLT-12-053	Ø1	Ø19	260	4 3/4"	5 1/4"	10 5/8"
BLT-12-054	Ø1	Ø20	265	5"	5 1/2"	10 7/8"
BLT-12-055	Ø1	Ø21	270	5 1/4"	5 3/4"	11"
BLT-12-056	Ø1	Ø22	275	5 1/2"	6"	11 1/8"
BLT-12-057	Ø1	Ø23	280	5 3/4"	6 1/4"	11 1/4"
BLT-12-058	Ø1	Ø24	285	6"	6 1/2"	11 3/8"
BLT-12-059	Ø1	Ø25	290	6 1/4"	6 3/4"	11 5/8"
BLT-12-060	Ø1	Ø26	295	6 1/2"	7"	11 7/8"
BLT-12-061	Ø1	Ø27	300	6 3/4"	7 1/4"	12"
BLT-12-062	Ø1	Ø28	305	7"	7 1/2"	12 1/8"
BLT-12-063	Ø1	Ø29	310	7 1/4"	7 3/4"	12 1/4"
BLT-12-064	Ø1	Ø30	315	7 1/2"	8"	12 1/2"
BLT-12-065	Ø1	Ø31	320	7 3/4"	8 1/4"	12 5/8"
BLT-12-066	Ø1	Ø32	325	8"	8 1/2"	12 7/8"
BLT-12-067	Ø1	Ø33	330	8 1/4"	8 3/4"	13"
BLT-12-068	Ø1	Ø34	335	8 1/2"	9"	13 1/8"
BLT-12-069	Ø1	Ø35	340	8 3/4"	9 1/4"	13 1/4"
BLT-12-070	Ø1	Ø36	345	9"	9 1/2"	13 3/8"
BLT-12-071	Ø1	Ø37	350	9 1/4"	9 3/4"	13 5/8"
BLT-12-072	Ø1	Ø38	355	9 1/2"	10"	13 7/8"
BLT-12-073	Ø1	Ø39	360	9 3/4"	10 1/4"	14"
BLT-12-074	Ø1	Ø40	365	10"	10 1/2"	14 1/8"
BLT-12-075	Ø1	Ø41	370	10 1/4"	10 3/4"	14 1/4"
BLT-12-076	Ø1	Ø42	375	10 1/2"	11"	14 1/2"
BLT-12-077	Ø1	Ø43	380	10 3/4"	11 1/4"	14 5/8"
BLT-12-078	Ø1	Ø44	385	11"	11 1/2"	14 7/8"
BLT-12-079	Ø1	Ø45	390	11 1/4"	11 3/4"	15"
BLT-12-080	Ø1	Ø46	395	11 1/2"	11 7/8"	15 1/8"
BLT-12-081	Ø1	Ø47	400	11 3/4"	12"	15 1/4"
BLT-12-082	Ø1	Ø48	405	11 7/8"	12 1/8"	15 1/8"
BLT-12-083	Ø1	Ø49	410	12"	12 1/4"	15 3/8"
BLT-12-084	Ø1	Ø50	415	12 1/4"	12 1/2"	15 5/8"
BLT-12-085	Ø1	Ø51	420	12 1/2"	12 3/4"	15 7/8"
BLT-12-086	Ø1	Ø52	425	12 3/4"	13"	16"
BLT-12-087	Ø1	Ø53	430	12 7/8"	13 1/8"	16 1/8"
BLT-12-088	Ø1	Ø54	435	13"	13 1/4"	16 1/4"
BLT-12-089	Ø1	Ø55	440	13 1/4"	13 1/2"	16 3/8"
BLT-12-090	Ø1	Ø56	445	13 1/2"	13 3/4"	16 5/8"
BLT-12-091	Ø1	Ø57	450	13 3/4"	14"	16 7/8"
BLT-12-092	Ø1	Ø58	455	14"	14 1/4"	17"
BLT-12-093	Ø1	Ø59	460	14 1/4"	14 1/2"	17 1/8"
BLT-12-094	Ø1	Ø60	465	14 1/2"	14 3/4"	17 1/4"
BLT-12-095	Ø1	Ø61	470	14 3/4"	15"	17 3/8"
BLT-12-096	Ø1	Ø62	475			




Part #	Dimension(mm)			Dimension(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT013-01	51	57	165	2"	2 1/4"	6 1/2"
BLT013-02	51	63	165	2"	2 1/2"	6 1/2"
BLT013-03	58	63	165	2 1/4"	2 1/2"	6 1/2"
BLT013-04	64	76	165	2 1/2"	3"	6 1/2"
BLT013-05	76	89	305	3"	3 1/2"	12"
BLT013-06	80	89	330	3 1/8"	3 1/2"	13"
BLT013-07	80	95	430	3 1/8"	3 1/2"	17"



Reduced Inlet/Rolled Angle Outlet

Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT114-01	61	67	160	2"	2 1/4"	6 1/2"
BLT114-02	61	69	160	2"	2 1/2"	6 1/2"
BLT114-03	68	63	160	2 1/4"	2 1/2"	6 1/2"
BLT114-04	64	76	160	2 1/2"	3"	6 1/2"
BLT114-05	76	89	300	3 1/8"	3 1/2"	12"
BLT114-06	80	89	300	3 1/8"	3 1/2"	12"
BLT114-07	90	101	350	3 1/2"	4"	13"



DTM Outlet

Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT116-01	66	76	174	2 1/8"	3"	6 7/8"
BLT116-02	66	63	215	2 1/8"	2 1/2"	8 1/2"
BLT116-03	76	89	254	3"	3 1/2"	10"




DTM Outlet

Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT117-01	46	46	200	1 4/8"	1 5/16"	7 7/8"
BLT117-02	46	61	200	1 5/16"	2"	7 7/8"
BLT117-03	66	60	200	2 1/4"	2 3/8"	7 7/8"
BLT117-04	61	63	200	2 3/8"	2 1/2"	7 7/8"
BLT117-05	74	76	330	2 9/16"	3"	13"
BLT117-06	76	60	330	3"	2 3/8"	13"
BLT117-07	87	66	330	3 3/8"	2 1/2"	13"
BLT117-08	99	101	330	3 7/8"	4"	13"




DTM Rolled Outlet

Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT118-01	46	46	200	1 4/8"	1 5/16"	7 7/8"
BLT118-02	49	61	200	1 7/8"	2"	7 7/8"
BLT118-03	66	60	200	2 1/4"	2 3/8"	7 7/8"
BLT118-04	61	63	200	2 3/8"	2 1/2"	7 7/8"
BLT118-05	74	76	330	2 9/16"	3"	13"
BLT118-06	76	60	330	3"	2 3/8"	13"
BLT118-07	87	66	330	3 3/8"	2 1/2"	13"
BLT118-08	99	101	330	3 7/8"	4"	13"



Enlarged Inlet/Reverse Rolled Outlet

Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT119-01	46	60	200	1 4/8"	2 3/8"	7 7/8"
BLT119-02	42	64	100	1 5/8"	2 1/8"	4"
BLT119-03	61	66	98	2"	2 1/2"	3 4/8"
BLT119-04	60	170	1 4/8"	2 3/8"	6 3/4"	
BLT119-05	46	60	100	1 4/8"	2 3/8"	4 1/8"
BLT119-06	61	67	130	2 3/8"	2 1/8"	5 1/8"
BLT119-07	74	87	100	2 9/16"	3 3/8"	5 7/8"



Chevron Shape Outlet

Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT121-01	66	117-443	229	2 1/4"	4 1/2"-1 5/8"	9"
BLT121-02	76	117-443	229	3"	4 1/2"-1 5/8"	9"
BLT121-03	76	117-443	608	3"	4 1/2"-1 5/8"	25"




DTM Outlet

Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT122-01	40	42	280	1 5/8"	1 5/8"	11"
BLT122-02	46	46	280	1 4/8"	1 7/8"	11"
BLT122-03	49	61	280	1 7/8"	2"	11"
BLT122-04	66	67	230	2 1/8"	2 1/4"	11"
BLT122-05	68	60	280	2 1/4"	2 3/8"	11"
BLT122-06	68	70	330	2 3/8"	2 4/8"	13"
BLT122-07	74	76	330	2 9/16"	3"	13"
BLT122-08	67	60	330	2 3/8"	2 1/2"	13"




Part#	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT123-01	40	42	203	1 5/8"	1 5/8"	11"
BLT123-02	46	48	203	1 4/8"	1 7/8"	11"
BLT123-03	49	61	203	1 7/8"	2"	11"
BLT123-04	66	67	203	2 1/8"	2 1/4"	11"
BLT123-05	68	60	203	2 1/4"	2 3/8"	11"
BLT123-06	74	76	306	2 9/16"	3"	13"
BLT123-07	67	60	306	2 3/8"	2 1/2"	13"




Square Outlet.DTM

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT024-01	82	70x80	145	3"	2 3/4"x-3 1/8"	5 3/4"
BLT024-02	88	70x80	145	2 1/4"	2 3/4"x-3 1/8"	5 3/4"
BLT024-03	84	70x80	145	2 1/2"	2 3/4"x-3 1/8"	5 3/4"




***S* Shape**

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT025-01	65	87	300	2 1/8"	2 1/4"	11 4/8"
BLT025-02	74	76	370	2 7/8"	3"	13"




Dual Layer/Welded Bevel End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT026-01	64	76	178	2 1/2"	3"	7"
BLT026-02	68	78	178	2 1/4"	3"	7"
BLT026-03	68	88	178	2 1/4"	3"	7"
BLT026-04	68	88	114	2 1/4"	4"	4 1/2"
BLT026-05	64	88	174	2 1/2"	3 1/2"	4 1/2"
BLT026-06	68	102	178	2 1/4"	4"	7"




Dual Layer/Welded Bevel End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT026-10	68	76	182	2 1/4"	3"	8"




Dual Layer/ Welded Bevel End, Angle Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT027-01	64	82	205	2 1/2"	3 1/8"	8"
BLT027-02	68	102	174	2 1/4"	4"	6 1/2"
BLT027-03	68	102	178	2 1/4"	4"	7"




Dual Layer/ Welded Bevel End, Angle Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT027-10	101	125	305	4"	5"	12"




Dual Layer/ Welded Bevel End, Angle Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT027-15	64	80	140	2 1/2"	3 1/2"	5 1/2"




Reduced Angle Outlet, Dual Layer, Welded Bevel End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT028-01	68	102	178	2 1/4"	4"	7"
BLT028-02	68	114	195	2 1/4"	4 1/2"	7 6/8"
NEW BLT028-03	68	88	178	2 1/4"	3 1/2"	7"




Rolled Angle Outlet, Dual Layer

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-10	84	76	140	3 1/8"	3"	5 1/2"




Non-Perf Core Inside, Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	81	78	178	3 1/8"	3"	7"
BLT008-02	88	76	178	3 1/2"	3"	7"
BLT008-03	88	88	178	3 1/2"	3 1/2"	7"
BLT008-04	88	101	203	3 1/2"	4"	8"
BLT008-05	88	114	264	3 1/2"	4 1/2"	10"
BLT008-06	88	127	264	3 1/2"	5"	10"




Perf Core Inside, Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	74	76	180	2 7/8"	3"	7 1/8"
BLT008-02	76	80	180	3"	3 1/8"	7 1/8"
BLT008-03	87	88	180	3 3/8"	3 1/2"	7 1/8"
BLT008-04	99	101	180	3 7/8"	4"	7 1/8"




Perf Core Inside, Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	82	78	180	3 1/8"	3"	7 1/8"
BLT008-02	88	76	178	3 1/2"	3"	7"
BLT008-03	82	89	203	3 1/8"	3 1/2"	8"
BLT008-04	88	88	203	3 1/2"	3 1/2"	8"
BLT008-05	70	89	203	2 3/4"	3 1/2"	8"
BLT008-06	88	102	210	3 1/2"	4"	8 1/4"
BLT008-07	88	102	222	3 1/2"	4"	8 5/8"
BLT008-08	88	102	230	3 1/2"	4"	9"
BLT008-09	88	102	230	3 1/2"	4"	9"
BLT008-10	88	102	264	3 1/2"	4"	10"
BLT008-11	88	102	264	3 1/2"	4"	10"
BLT008-12	81	102	266	3 1/8"	4"	10 1/4"




Perf Core Inside, Rolled Angle Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	81	76	180	3 1/8"	3"	7 1/8"
BLT008-02	88	76	178	3 1/2"	3"	7"
BLT008-03	84	76	178	3 1/2"	3"	7"
BLT008-04	82	88	216	3 1/8"	3 1/2"	8 1/2"
BLT008-05	88	88	216	3 1/2"	3 1/2"	8 1/2"
BLT008-06	70	88	216	2 3/4"	3 1/2"	8 1/2"
BLT008-07	82	102	216	3 1/8"	4"	8 1/2"
BLT008-08	88	102	216	3 1/2"	4"	8 1/2"
BLT008-09	84	102	216	3 1/2"	4"	8 1/2"




Perf Core Inside, Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	81	89	178	3"	3 1/2"	7"
BLT008-02	88	88	178	3 1/2"	3 1/2"	7"
BLT008-03	81	102	178	3"	4"	7"
BLT008-04	88	102	178	3 1/2"	4"	7"




Perf Core Inside, Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	80	88	230	3 1/8"	3 1/2"	9 1/8"
BLT008-02	80	102	260	3 1/8"	4"	10"




Perf Core Inside, Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008	88	82-78	310	3 1/2"	3 1/8"-3"	12 1/8"




Rolled Square Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	64	92<78	188	2 1/4"	3 5/8"<3"	6 1/8"




Perf Core Inside,Angle Cut Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	42	63	278	1 5/8"	2 1/2"	10 4/8"
BLT008-02	47	63	278	1 7/8"	2 1/2"	10 4/8"




Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-10	68	101	305	2 1/4"	4"	12"



Non-Perf Core Inside,Angle Cut Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT007-01	42	63	278	1 5/8"	2 1/2"	10 4/8"
BLT007-02	47	63	278	1 7/8"	2 1/2"	10 4/8"




Non-Perf Core Inside,Rolled Angle Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	42	60	190	1 5/8"	2 3/8"	7 1/2"
BLT008-02	47	60	190	1 7/8"	2 3/8"	7 1/2"
BLT008-03	42	63	190	1 5/8"	2 1/2"	7 1/2"
BLT008-04	47	63	190	1 7/8"	2 1/2"	7 1/2"




Non-Perf Core Inside,Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT008-01	42	60	166	1 5/8"	2 3/8"	6 1/2"
BLT008-02	47	60	166	1 7/8"	2 3/8"	6 1/2"




Dual Layer,Welded Bevel End,Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT040	62	68<65	316	2"	3 1/2"<3 3/4"	12 3/8"



Non-Perf Core Inside, Rolled Square Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT041-01	61	100<90	266	2 3/8"	3 15/16"<3 1/2"	8 1/8"
BLT041-02	69	100<90	208	2 3/4"	3 15/16"<3 1/2"	8 1/8"
BLT041-03	61	80<70	174	2 3/8"	3 1/8"<2 3/4"	6 7/8"
BLT041-04	64	80<70	174	2 1/2"	3 1/8"<2 3/4"	6 7/8"




Non-Perf Core Inside, Rolled Square Stant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT043-01	61	100<90	208	2 3/8"	3 15/16" < 3 1/2"	8 1/8"
BLT043-02	66	100<90	208	2 5/16"	3 15/16" < 3 1/2"	8 1/8"
BLT043-03	61	80<70	176	2 3/8"	3 1/8" < 2 3/4"	6 7/8"
BLT043-04	66	80<70	176	2 5/16"	3 1/8" < 2 3/4"	6 7/8"




Two Homocentric Layer, Reduced Outlet, Angle Cut

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT043-01	64	63	210	2 1/2"	2 5/8"	8 1/4"
BLT043-02	66	63	210	2 5/8"	2 5/8"	8 1/4"
BLT043-03	62	63	210	2	2 5/8"	8 1/4"



Two Homocentric Layer, Rolled End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT043-04	66	69	170	2 5/8"	2 3/4"	6 23/32"




Two Homocentric Layer, Angle Cut

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT043-0	64	76	166	2 1/2"	3"	6 1/2"




Two Homocentric Layer, One Layer Rolled End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT044-01	63	66	176	2 1/2"	2 1/2"	7"
BLT044-02	64	76	166	2 5/8"	3"	6 1/2"




Two Homocentric Layer, One Layer Rolled End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT044-03	66	66	176	2 5/8"	2 1/2"	7"




Two Homocentric Layer, Rolled End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT045-01	64	166	166	2 1/2"	6 1/2"	6 1/2"
BLT045-02	67	76	166	2 5/8"	3"	6 1/2"
BLT045-03	66	114	176	2 5/8"	4 1/2"	7"




Two Homocentric Layer, Rolled End

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT045-06	61	76	162	2 1/2"	3"	6 1/2"




Square Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT648	68	200x90	254	2 1/4"	7 7/8"x2	10"




Square Rolled Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT647-01	64	162x81	254	2 1/2"	6 3/4"x2"	10"
BLT647-02	64	167x81	254	2 1/2"	7 3/4"x2"	10"




Oval Rolled Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT648-01	47	78x51	160	1 7/8"	3 1/8"x2"	6 1/4"
BLT648-02	62	79x51	160	2"	3 1/8"x2"	6 1/4"




Enlarged Inlet/Angle Cut Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT650	75	101	203	3"	4"	8"



Oval Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT651-01	61	167x77	120	2 1/2"	6 5/8"x2"	4 3/4"
BLT651-02	65	167x77	120	2 1/4"	6 5/8"x2"	4 3/4"



Oval Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT652	65	95x78	178	2 1/4"	3 3/4"x3"	7"




Dual Layer, Welded Bevel End, Rolled Square Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT653	65	64x78	178	2 1/4"	3 3/4"x3"	7"




Dual Layer, Welded Bevel End, Square Angle Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT654	65	64x78	178	2 1/4"	3 3/4"x3"	7"



Two Homocentric Layer, Rolled End, With Wheel Inside

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT050-01	64	76	165	2 1/8"	3"	6 1/2"
BLT050-02	66	101	176	2 1/4"	4"	7"




Rollied Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT050-01	66	69	280	2 1/4"	2 3/4"	11"
BLT050-02	64	69	280	2 1/2"	2 3/4"	11"
BLT050-03	66	101	280	2 1/4"	4"	11"
BLT050-04	64	101	280	2 1/2"	4"	11"




Reverse Rolled Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT057	63	76	190	2 1/2"	3"	7 1/2"
BLT057-1	76	69	190	3"	2 3/4"	7 1/2"
BLT057-2	69	101	190	2 3/4"	4"	7 1/2"
BLT057-3	101	114	190	4"	4 1/2"	7 1/2"




Twin Round Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT061-01	64	63	240	2 1/2"	2 1/2"	9 1/2"
BLT061-02	61	61	305	2"	2"	12"



Twin Round Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT061-10	74	2x76	400	2 8/10"	2x3"	16 5/8"





Twin Round Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT062	61	80	254	2"	3 1/8"	10"




Oval Rolled Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT063-01	165x76	137.4x77.4	260	6 3/8"x3"	5 3/8"x3 1/16"	10"
BLT063-02	135x76	137.4x77.4	260	5 3/8"x3"	5 3/8"x3 1/16"	9 7/8"
BLT063-03	165x76	167.4x77.4	330	6 1/2"x3"	6 1/2"x3"	13"
BLT063-04	134x69	138x70	260	4 9/16"x2 4/8"	5-3 3/8"	9 7/8"
BLT063-05	145x76	148x77.4	330	5 3/4"x3"	5 4/8"x3 1/16"	13"



Oval Rolled Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT064	165x78	167.4x80.4	182	6 1/8"x3 1/16"	6 5/16"x3 3/16"	6"



Oval Outlet,DTM

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT089-01	126×76	127.4×77.4	330	5.018"×3"	5.018"×3.118"	13"
BLT089-02	165×76	127.4×77.4	330	6.512"×3"	5.018"×3.118"	13"
NEW BLT089-03	124×68	126×70	250	4.910"×2.439"	5"×2.364"	9.718"
NEW BLT089-04	145×76	145×77.4	330	5.544"×3"	5.439"×3.118"	13"




Oval Rolled Outlet,DTM

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT089-01	126×76	127.4×77.4	330	5.018"×3"	5.018"×3.118"	13"
BLT089-02	165×76	127.4×77.4	330	6.512"×3"	5.018"×3.118"	13"
NEW BLT089-03	124×68	126×70	250	4.910"×2.439"	5"×2.364"	9.718"
NEW BLT089-04	145×76	145×77.4	330	5.544"×3"	5.439"×3.118"	13"




Oval Rolled Outlet,DTM

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT087-01	114.6×82.6	117×85	330	4.512"×3.118"	4.512"×3.118"	13"
BLT087-02	145.6×96.6	152×102	330	5.718"×3.118"	6"×4"	13"




Perf Core Inside,Oval Rolled Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT089-01	126×76	127.4×77.4	330	5.018"×3"	5.018"×3"	13"
BLT089-02	165×76	127.4×77.4	330	6.512"×3"	5.018"×3"	13"
NEW BLT089-03	124×68	126×70	250	4.910"×2.439"	5"×2.364"	9.718"
NEW BLT089-04	145×76	145×77.4	330	5.544"×3"	5.439"×3.118"	13"



Perf Core Inside,Oval Rolled Slant Outlet,DTM

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT089-01	126×76	127.4×77.4	330	5.018"×3"	5.018"×3"	13"
BLT089-02	165×76	127.4×77.4	330	6.512"×3"	5.018"×3"	13"
NEW BLT089-03	124×68	126×70	250	4.910"×2.439"	5"×2.364"	9.718"
NEW BLT089-04	145×76	145×77.4	330	5.544"×3"	5.439"×3.118"	13"




Perf Core Inside,Oval Rolled Outlet,DTM

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT079-01	114.6×82.6	117×85	330	4.512"×3.118"	4.512"×3.118"	13"
BLT079-02	145.6×96.6	152×102	330	5.718"×3.118"	6"×4"	13"



Oval Rolled Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT071-01	62	135×76	480	2"	5.312"×3"	18.718"
BLT071-02	68	135×76	480	2.54"	5.312"×3"	18.718"
BLT071-03	62	165×76	480	2"	6.512"×3"	18.718"
BLT071-04	68	165×76	480	2.54"	6.512"×3"	18.718"
NEW BLT071-05	62	120×70	178	2"	5"×2.364"	7"
NEW BLT071-06	68	120×70	178	2.54"	5"×2.364"	7"



Perf Core Inside,Oval Rolled Slant Outlet

Part #	Dimensions(mm)			Dimensions(Inch)		
	Inlet Dia.	Outlet Dia.	Overall Length	Inlet Dia.	Outlet Dia.	Overall Length
BLT073-01	62	135×76	480	2"	5.312"×3"	18.718"
BLT073-02	68	135×76	480	2.54"	5.312"×3"	18.718"
BLT073-03	62	165×76	480	2"	6.512"×3"	18.718"
BLT073-04	68	165×76	480	2.54"	6.512"×3"	18.718"